

HIGH INTENSITY SOIL MAP  
COUNTY: Overton  
PROPERTY: Parcel 029 047.03  
COMPLETION DATE: 10-31-2020

SOIL UNIT LEGEND:

Se—Sengtown gravelly silt loam, 15 to 25 percent slopes

Map Symbol	Estimated Rate (MPI)	Soil Improvement Practices & Notes
Se	60 to 24 inches	75 MPI subsoils between 24-36 inches. Bedrock is believed to be deeper than 48", but several observations stopped below 36" by fragments.

I, Gabe Krantz, affirm that this soil map meets the standards established in the Regulations to Govern Subsurface Sewage Disposal, the Soils Handbook, and the Soil Taxonomy. No other warranties are made or implied.

Signature of Soil consultant does not constitute approval of this map by the Division of Water Resources.

GABE KRANTZ, SOIL CONSULTANT

168 BEAR HOLLOW LN

LIVINGSTON, TN 38570



PHONE: 931-498-4204

CELL: 931-510-7746

EMAIL: soil@twlakes.net

SETBACK 15 FEET FROM 1 DOT DRAINS

SETBACK 25 FEET FROM DEPRESSION



ANY CUTTING, FILLING, OR  
COMPACTION WILL VOID THIS MAP.  
SIGNATURE OF A SOIL SCIENTIST IS  
NO GUARANTEE FOR SEPTIC PERMIT.